ELSEVIER

Journal of Materials Processing Technology 172 (2006) 472–473

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 172

Abdewi, E.F., 394
Ahmed, M., 299
Al-Qutub, A.M., 327
Al-Zaharnah, I.T., 305
Allam, I.M., 327
Anal, A., 70
Andrade, S.R., 104
Angulo, C., 11
António, C.A.C., 35

Ballester, M., 146
Bandyopadhyay, T.K., 70
Bayraktar, E., 208
Bergström, J., 77
Boran, K., 123
Bouvier, S., 96
Bouwman, J.W., 356
Brissaud, D., 291
Bruce, G.J., 238
Burman, C., 77

Cantwell, W.J., 163
Capello, E., 319
Cardew-Hall, M., 163
Castex, L., 381
Castro, C.F., 35
Celentano, D., 451, 461
Chakraborty, D., 283
Chandra, S., 218
Cheng, T.-H., 407
Cheng-song, C., 195
Choi, S.K., 88
Chun, M.S., 88
Compston, P., 163

Das, K., 70
Desrayaud, C., 152
Dhar, N.R., 299
Driver, J.H., 152
Du, C.-C., 407
Du, F., 202
Duszczyk, J., 372

Eyercioglu, O., 363

Flores, F., 451, 461
Fratini, L., 16
Freire, C.M.A., 146

García, C., 451, 461
Gillström, P., 332
Gindy, N.N.Z., 363
Girard, A.C., 346
Girard, S., 152
Gonçalves, C.V., 42
Grandhi, R.V., 249
Grenier, Y.J., 346
Guechichi, H., 381
Guimarães, G., 42
Gupta, A.K., 225

Haddadi, H., 96
Haga, T., 271
Hambardzumyan, A.F., 243
Hamouda, A.M.S., 394
Haseeb, A.S.M.A., 388
Hassan, A., 341
Haworth, B., 341

Ikawa, M., 271

Jacobsson, M., 264
Jardini, A.L.M., 104
Jarl, M., 332
Jin, C.J., 30
Junkar, M., 291

Kais Bin Zaman, A.K.M., 258
Kalyanasundaram, S., 163
Kamruzzaman, M., 299
Kaplan, D., 208
Karatas, C., 22
Keles, O., 22
Kikuta, T., 30
Kim, B.M., 311
Kim, D.H., 311
Kim, K.H., 311
Kovacevic, R., 110
Kumai, S., 271
Kumar, S., 64

Lamikiz, A., 11
Lee, H.C., 311
Levée, P., 96
Levers, A., 159
Li, H., 424
Li, J., 437
Li, L., 372
Li, T.H., 424
Li, X., 202
Li, Z., 249
Lightfoot, M.P., 238
Lin, Q.L., 424
Liu, C., 445
Lo Casto, S., 16
Lo Valvo, E., 16
López de Lacalle, L.N., 11
Lu, Y., 445
Luo, M.-l., 431

Mac Donald, B.J., 346
Macchion, O., 356
Machado, I.F., 169
Maciel, R., 104
Magnusson, M., 264
Mahdi, E., 394
Mamalis, A.G., 243, 277
Manolakos, D.E., 243, 277
Masud, A.K.M., 258
McPherson, N.A., 238
Mitra, A., 182
Moon, Y.H., 88
Mosse, L., 163
Moura, L.F.M., 104
Murugan, N., 1

Naher, S., 388
Nakatani, N., 30
Norasethasopon, S., 400

Oliva, O., 461
Ouyang, J., 110

Pal, S.K., 182, 283
Palani, P.K., 1
Panda, A.K., 182
Panda, S.S., 283
Pedersen, W., 417
Petrosyan, G.L., 243, 277
Petrosyan, H.G., 277
Platts, M.J., 159
Ponthot, J.-P., 451, 461
Prakash, S., 52
Pu, C.-s., 431

Qing-chun, L., 195
Qu, S., 188
Qureshi, T.W., 327

Ramulu, M., 417
Ravi Kumar, D., 225
Regone, N.N., 146
Ren, C.Q., 424
Ringeval, S., 152

Elsevier B.V.
doi:10.1016/S0924-0136(06)00069-0

ELSEVIER

Journal of Materials Processing Technology 172 (2006) 472–473

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 172

Abdewi, E.F., 394
Ahmed, M., 299
Al-Qutub, A.M., 327
Al-Zaharnah, I.T., 305
Allam, I.M., 327
Anal, A., 70
Andrade, S.R., 104
Angulo, C., 11
António, C.A.C., 35

Ballester, M., 146
Bandyopadhyay, T.K., 70
Bayraktar, E., 208
Bergström, J., 77
Boran, K., 123
Bouvier, S., 96
Bouwman, J.W., 356
Brissaud, D., 291
Bruce, G.J., 238
Burman, C., 77

Cantwell, W.J., 163
Capello, E., 319
Cardew-Hall, M., 163
Castex, L., 381
Castro, C.F., 35
Celentano, D., 451, 461
Chakraborty, D., 283
Chandra, S., 218
Cheng, T.-H., 407
Cheng-song, C., 195
Choi, S.K., 88
Chun, M.S., 88
Compston, P., 163

Das, K., 70
Desrayaud, C., 152
Dhar, N.R., 299
Driver, J.H., 152
Du, C.-C., 407
Du, F., 202
Duszczyk, J., 372

Eyercioglu, O., 363

Flores, F., 451, 461
Fratini, L., 16
Freire, C.M.A., 146

García, C., 451, 461
Gillström, P., 332
Gindy, N.N.Z., 363
Girard, A.C., 346
Girard, S., 152
Gonçalves, C.V., 42
Grandhi, R.V., 249
Grenier, Y.J., 346
Guechichi, H., 381
Guimarães, G., 42
Gupta, A.K., 225

Haddadi, H., 96
Haga, T., 271
Hambardzumyan, A.F., 243
Hamouda, A.M.S., 394
Haseeb, A.S.M.A., 388
Hassan, A., 341
Haworth, B., 341

Ikawa, M., 271

Jacobsson, M., 264
Jardini, A.L.M., 104
Jarl, M., 332
Jin, C.J., 30
Junkar, M., 291

Kais Bin Zaman, A.K.M., 258
Kalyanasundaram, S., 163
Kamruzzaman, M., 299
Kaplan, D., 208
Karatas, C., 22
Keles, O., 22
Kikuta, T., 30
Kim, B.M., 311
Kim, D.H., 311
Kim, K.H., 311
Kovacevic, R., 110
Kumai, S., 271
Kumar, S., 64

Lamikiz, A., 11
Lee, H.C., 311
Levée, P., 96
Levers, A., 159
Li, H., 424
Li, J., 437
Li, L., 372
Li, T.H., 424
Li, X., 202
Li, Z., 249
Lightfoot, M.P., 238
Lin, Q.L., 424
Liu, C., 445
Lo Casto, S., 16
Lo Valvo, E., 16
López de Lacalle, L.N., 11
Lu, Y., 445
Luo, M.-l., 431

Mac Donald, B.J., 346
Macchion, O., 356
Machado, I.F., 169
Maciel, R., 104
Magnusson, M., 264
Mahdi, E., 394
Mamalis, A.G., 243, 277
Manolakos, D.E., 243, 277
Masud, A.K.M., 258
McPherson, N.A., 238
Mitra, A., 182
Moon, Y.H., 88
Mosse, L., 163
Moura, L.F.M., 104
Murugan, N., 1

Naher, S., 388
Nakatani, N., 30
Norasethasopon, S., 400

Oliva, O., 461
Ouyang, J., 110

Pal, S.K., 182, 283
Palani, P.K., 1
Panda, A.K., 182
Panda, S.S., 283
Pedersen, W., 417
Petrosyan, G.L., 243, 277
Petrosyan, H.G., 277
Platts, M.J., 159
Ponthot, J.-P., 451, 461
Prakash, S., 52
Pu, C.-s., 431

Qing-chun, L., 195
Qu, S., 188
Qureshi, T.W., 327

Ramulu, M., 417
Ravi Kumar, D., 225
Regone, N.N., 146
Ren, C.Q., 424
Ringeval, S., 152

Elsevier B.V.
doi:10.1016/S0924-0136(06)00069-0

Sánchez, J.A., 11
Scarparo, M.A.F., 104
Scotti, A., 42
Sekhon, G.S., 64
Shan-ben, C., 195
Shibuya, T., 30
Sidhu, B.S., 52
Singh, A.K., 283
Singh, R., 64
Sousa, L.C., 35
Srinivasan, R., 249
Ssemakula, H., 264
Ståhlberg, U., 264
Sulaiman, S., 394
Sun, X.Y., 424
Sunar, M., 123

Tan, M.J., 174
Tang, W., 431
Teodosiu, C., 96
Thiruvarudchelvan, S., 174
Tseng, C.-H., 407

Uslan, I., 22
Usta, Y., 22
Uyyuru, R.K., 312

Valberg, H., 312
Valentinčič, J., 291
Van Tyne, C.J., 88
Varis, J., 130
Vazquez, M., 182
Verma, R.K., 218
Vilarinho, L.O., 42

Wang, M., 202
Wang, T., 159
Wang, X., 188
Wang, Y., 77
Webb, D.C., 139
Wijayathunga, V.N., 139
Woods, K., 238
Wtari, H., 271

Yamazaki, T., 30
Yao, Y., 437, 445
Yarrapareddy, E., 110
Yilbas, B.S., 123
Yilmaz, O., 363
Ying-dong, Q., 195
Yoshida, K., 400
Yuan, Z., 437, 445

Zahrai, S., 356
Zhang, M., 188
Zhao, H., 437
Zhao, J.-q., 431
Zhou, J., 372
Zou, Z., 188

ELSEVIER

Journal of Materials Processing Technology 172 (2006) 474–479

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 172

AA 3103 alloy
A novel high straining process for bulk materials—The development of a multipass forging system by compression along three axes, 152
Acrylate rubber
Impact properties of acrylate rubber-modified PVC: Influence of temperature, 341
Adhesive
Study in IC chip failure during pick-up process by using experimental and finite element methods, 407
Al_2O_3 particles
Effect of sub-micron Al_2O_3 concentration on dry wear properties of 6061 aluminum based composite, 327
Al-alloys
Physical and numerical analysis of the metal flow over the punch head in backward cup extrusion of aluminium, 312
Al–Cu alloy
Al-based anodic oxide films structure observation using field emission gun scanning electron microscopy, 146
Al–Si alloy
Al-based anodic oxide films structure observation using field emission gun scanning electron microscopy, 146
Alumina
Effect of sub-micron Al_2O_3 concentration on dry wear properties of 6061 aluminum based composite, 327
Aluminium
Experimental and numerical investigation of the effect of spray cutting fluids in high speed milling, 11
Aluminothermic reduction
Synthesis and characterization of TiB_2-reinforced iron-based composites, 70
Aluminum
Al-based anodic oxide films structure observation using field emission gun scanning electron microscopy, 146
Amorphous wire
The effect of magnetoelastic interaction on the GMI behaviour of Fe-, Co- and Co–Fe-based amorphous wires, 182
Anisotropy
Simple shear tests: Experimental techniques and characterization of the plastic anisotropy of rolled sheets at large strains, 96
Anodizing
Al-based anodic oxide films structure observation using field emission gun scanning electron microscopy, 146
Aramid short fiber
Modeling of energy absorption of short fiber composite considering interfacial properties of fiber/matrix, 258
Artificial neural networks as an aid to steel plate distortion reduction, 238
Drill wear monitoring using back propagation neural network, 283
Axial compression crushing
Effect of geometry on the crushing behaviour of laminated corrugated composite tubes, 394
Axial flow
Heat transfer from typical loads within gas quenching furnace, 356

Backward cup extrusion
Physical and numerical analysis of the metal flow over the punch head in backward cup extrusion of aluminium, 312
Base current
Selection of parameters of pulsed current gas metal arc welding, 1
Base duration
Selection of parameters of pulsed current gas metal arc welding, 1
Beam waist
Laser cutting of steel sheets: Influence of workpiece thickness and beam waist position on kerf size and stria formation, 22
Bending/unbending
An improved model for predicting limiting drawing ratio, 218
Bimetallic tube
Mathematical modelling of plastic deformation processes of bimetallic tubes with porous-internal layer in conical dies, 243
Bimetallics
Determination of initial compression stresses when extruding bimetallic tubes with porous internal layer, 277
Blank holder force
An improved model for predicting limiting drawing ratio, 218
Bonding
Lining of hydraulic cylinder made of cast iron with copper alloy, 30
Buckling
Artificial neural networks as an aid to steel plate distortion reduction, 238
Bulge forming
Numerical simulation of axisymmetric tube bulging using a urethane rod, 346

Carbon preform
Preparation of carbon materials by modeling of impregnating coal-tar pitch into carbon preform, 424
Carbon steels
Mechanical descaling of wire rod using reverse bending and brushing, 332
Chip thickness
Drill wear monitoring using back propagation neural network, 283
Clinching
Economics of clinched joint compared to riveted joint and example of applying calculations to a volume product, 130
CO_2 laser
Improvement of the spatial resolution of prototypes using infrared laser stereolithography on thermosensitive resins, 104
Coal-tar pitch
Preparation of carbon materials by modeling of impregnating coal-tar pitch into carbon preform, 424
Coatings
Studies on the behaviour of stellite-6 as plasma sprayed and laser remelted coatings in molten salt environment at 900 °C under cyclic conditions, 52
Composition of steel
Parametric approach model for determining welding conditions: New type of Welding Limit Diagrams—II (WLD), 208

Elsevier B.V.
doi:10.1016/S0924-0136(06)00070-7

Computer simulation
Determination of a constitutive relationship for AZ31B magnesium alloy and validation through comparison between simulated and real extrusion, 372
Copper alloy
Lining of hydraulic cylinder made of cast iron with copper alloy, 30
Copper shaped-wire
Influences of inclusion shape and size in drawing of copper shaped-wire, 400
Corrugated composite tubes
Effect of geometry on the crushing behaviour of laminated corrugated composite tubes, 394
Costs
Economics of clinched joint compared to riveted joint and example of applying calculations to a volume product, 130
Counter pressure
A note on fluid-pressure-assisted deep drawing processes, 174
Crushing strength
A technical note on the production of zirconia and zircon brick from locally available zircon in Bangladesh, 388
Cutting
Laser cutting of steel sheets: Influence of workpiece thickness and beam waist position on kerf size and stria formation, 22
Cutting fluids
Experimental and numerical investigation of the effect of spray cutting fluids in high speed milling, 11
CuZnNi alloy
Microstructure and wear properties of WC–TiC–Co/CuZnNi composite surface coating, 188
CWR
The coupling thermal–mechanical and microstructural model for the FEM simulation of cross wedge rolling, 202

Decarburization
Lining of hydraulic cylinder made of cast iron with copper alloy, 30
Decomposition
A technical note on the production of zirconia and zircon brick from locally available zircon in Bangladesh, 388
Deep drawing
A note on fluid-pressure-assisted deep drawing processes, 174
An improved model for predicting limiting drawing ratio, 218
Numerical modelling and experimental validation of steel deep drawing processes. Part I. Material characterization, 451
Numerical modelling and experimental validation of steel deep drawing processes. Part II: Applications, 461
Deformation
Determination of a constitutive relationship for AZ31B magnesium alloy and validation through comparison between simulated and real extrusion, 372
Delamination
Stamp forming of polypropylene based fibre–metal laminates: The effect of process variables on formability, 163
Density
A technical note on the production of zirconia and zircon brick from locally available zircon in Bangladesh, 388
Deposit dimension
On-line measurement of deposit dimension in spray forming using image processing technology, 195
Descaling
Mechanical descaling of wire rod using reverse bending and brushing, 332
Detachment parameter
Selection of parameters of pulsed current gas metal arc welding, 1
DFM
EDM process adaptation system in toolmaking industry, 291
Die design
Optimal design of V and U bending processes using genetic algorithms, 35
Distortion
Artificial neural networks as an aid to steel plate distortion reduction, 238
Distortion minimization during gas quenching process, 249
Distortion minimization
Distortion minimization during gas quenching process, 249
Drilling
Drill wear monitoring using back propagation neural network, 283

Economic
Economics of clinched joint compared to riveted joint and example of applying calculations to a volume product, 130
Elecrical discharge machining
EDM process adaptation system in toolmaking industry, 291
Electro discharge machining
A user-friendly fuzzy-based system for the selection of electro discharge machining process parameters, 363
Energy absorption
Modeling of energy absorption of short fiber composite considering interfacial properties of fiber/matrix, 258
Energy absorption capability
Effect of geometry on the crushing behaviour of laminated corrugated composite tubes, 394
Error prediction
Modeling of virtual workpiece with machining errors representation in turning, 437
Estimating
Robustness improvement of tool life estimation assisted by a virtual manufacturing cell, 445
Evolutionary optimisation
Optimal design of V and U bending processes using genetic algorithms, 35
Expert rules
A user-friendly fuzzy-based system for the selection of electro discharge machining process parameters, 363
Expert systems
EDM process adaptation system in toolmaking industry, 291
Explosive forming
Experimental evaluation and finite element simulation of explosive forming of a square cup from a brass plate assisted by a lead plug, 139
Extrusion
Mathematical modelling of plastic deformation processes of bimetallic tubes with porous-internal layer in conical dies, 243
Determination of initial compression stresses when extruding bimetallic tubes with porous internal layer, 277
Determination of a constitutive relationship for AZ31B magnesium alloy and validation through comparison between simulated and real extrusion, 372

Facing
Facing SiCp/Mg metal matrix composites with carbide tools, 417
Fatigue limit
Fatigue limits prediction of surface treated materials, 381
Feed rate
Optimization of open die forging of round shapes using FEM analysis, 88
FEM
A technical note on an experimental device to measure friction coefficient in sheet metal forming, 16
Optimization of open die forging of round shapes using FEM analysis, 88
Study in IC chip failure during pick-up process by using experimental and finite element methods, 407
FE-modeling
Physical and numerical analysis of the metal flow over the punch head in backward cup extrusion of aluminium, 312
FeO
Lining of hydraulic cylinder made of cast iron with copper alloy, 30

Field emission gun microscopy
Al-based anodic oxide films structure observation using field emission gun scanning electron microscopy, 146
Finite element analysis (FEA)
A process model for shot peen forming, 159
Finite element method (FEM)
Thermal and stress analysis of a sheet metal in welding, 123
The coupling thermal–mechanical and microstructural model for the FEM simulation of cross wedge rolling, 202
Numerical simulation of axisymmetric tube bulging using a urethane rod, 346
Influences of inclusion shape and size in drawing of copper shaped-wire, 400
Finite element modelling
Artificial neural networks as an aid to steel plate distortion reduction, 238
Flake graphite cast iron
Lining of hydraulic cylinder made of cast iron with copper alloy, 30
Flank wear
Drill wear monitoring using back propagation neural network, 283
Forging
Improving the grain size in the forging of large copper lids, 264
Formability
Formability of galvanized interstitial-free steel sheets, 225
Forming
Stamp forming of polypropylene based fibre–metal laminates: The effect of process variables on formability, 163
Forming limit diagrams
Formability of galvanized interstitial-free steel sheets, 225
Forming process
Numerical modelling and experimental validation of steel deep drawing processes. Part I. Material characterization, 451
Numerical modelling and experimental validation of steel deep drawing processes. Part II: Applications, 461
Friction stir welding
Microstructural evolution in the friction stir welded 6061 aluminum alloy (T6-temper condition) to copper, 110
Friction test
A technical note on an experimental device to measure friction coefficient in sheet metal forming, 16
Furnace design
Heat transfer from typical loads within gas quenching furnace, 356
Fuzzy logic
A user-friendly fuzzy-based system for the selection of electro discharge machining process parameters, 363

Galvanized interstitial-free steel
Formability of galvanized interstitial-free steel sheets, 225
Gas quenching process
Distortion minimization during gas quenching process, 249
Giant magnetoimpedance
The effect of magnetoelastic interaction on the GMI behaviour of Fe-, Co- and Co–Fe-based amorphous wires, 182
Grain size
The coupling thermal–mechanical and microstructural model for the FEM simulation of cross wedge rolling, 202
Improving the grain size in the forging of large copper lids, 264
GTAW process
Estimation of heat source and thermal efficiency in GTAW process by using inverse techniques, 42

Hard metal
Microstructure and wear properties of WC–TiC–Co/CuZnNi composite surface coating, 188
Hardness
Synthesis and characterization of TiB_2-reinforced iron-based composites, 70
Heat transfer uniformity
Heat transfer from typical loads within gas quenching furnace, 356
Heat treatment
Technological advances in steels heat treatment, 169
Heating
Thermal and stress analysis of a sheet metal in welding, 123
Heterogeneity
Simple shear tests: Experimental techniques and characterization of the plastic anisotropy of rolled sheets at large strains, 96
High speed milling
Experimental and numerical investigation of the effect of spray cutting fluids in high speed milling, 11
Hot corrosion
Studies on the behaviour of stellite-6 as plasma sprayed and laser remelted coatings in molten salt environment at 900 °C under cyclic conditions, 52
Hydraulic cylinder
Lining of hydraulic cylinder made of cast iron with copper alloy, 30
Hydraulic pressure
A note on fluid-pressure-assisted deep drawing processes, 174
Hydrodynamic effects
Heat transfer from typical loads within gas quenching furnace, 356
Hydrophilicity
Hydrophilic modification of poly(ether sulfone) used TiO_2 nanoparticles by a sol–gel process, 431

IC chips
Study in IC chip failure during pick-up process by using experimental and finite element methods, 407
Identification
Estimation of heat source and thermal efficiency in GTAW process by using inverse techniques, 42
Image processing
On-line measurement of deposit dimension in spray forming using image processing technology, 195
Impact extrusion
Physical and numerical analysis of the metal flow over the punch head in backward cup extrusion of aluminium, 312
Impact modifiers
Impact properties of acrylate rubber-modified PVC: Influence of temperature, 341
Impregnation efficiency
Preparation of carbon materials by modeling of impregnating coal-tar pitch into carbon preform, 424
Impulse loading
Experimental evaluation and finite element simulation of explosive forming of a square cup from a brass plate assisted by a lead plug, 139
Inclusion shape
Influences of inclusion shape and size in drawing of copper shaped-wire, 400
Inclusion size
Influences of inclusion shape and size in drawing of copper shaped-wire, 400
Infrared radiation
Improvement of the spatial resolution of prototypes using infrared laser stereolithography on thermosensitive resins, 104
Interface friction
Formability of galvanized interstitial-free steel sheets, 225
Intermetallic compounds
Microstructural evolution in the friction stir welded 6061 aluminum alloy (T6-temper condition) to copper, 110
Interrupted cutting
Suppressing vibrations of machining processes in both feed and radial directions using an optimal control strategy: The case of interrupted cutting, 305
Inverse approach
Optimal design of V and U bending processes using genetic algorithms, 35
Iron matrix composite
Synthesis and characterization of TiB_2-reinforced iron-based composites, 70

Iron-based material
Characterization of an iron-based laser sintered material, 77
Iron–carbon equilibrium
Technological advances in steels heat treatment, 169

Joining of dissimilar metals
Microstructural evolution in the friction stir welded 6061 aluminum alloy (T6-temper condition) to copper, 110

Kalman estimator
Suppressing vibrations of machining processes in both feed and radial directions using an optimal control strategy: The case of interrupted cutting, 305
Kinetics model
Preparation of carbon materials by modeling of impregnating coal-tar pitch into carbon preform, 424
Knowledge base
CCKBS: A component check knowledge-based system for assessing manufacturability of sheet metal parts, 64
Knowledge-based system
CCKBS: A component check knowledge-based system for assessing manufacturability of sheet metal parts, 64

Laminates
Stamp forming of polypropylene based fibre–metal laminates: The effect of process variables on formability, 163
Large copper lids
Improving the grain size in the forging of large copper lids, 264
Laser
Laser cutting of steel sheets: Influence of workpiece thickness and beam waist position on kerf size and stria formation, 22
Laser remelting
Studies on the behaviour of stellite-6 as plasma sprayed and laser remelted coatings in molten salt environment at 900 °C under cyclic conditions, 52
Laser sintering
Characterization of an iron-based laser sintered material, 77
Limiting drawing ratio
An improved model for predicting limiting drawing ratio, 218
Localized curing
Improvement of the spatial resolution of prototypes using infrared laser stereolithography on thermosensitive resins, 104

Machining
Facing SiCp/Mg metal matrix composites with carbide tools, 417
Machining error
Modeling of virtual workpiece with machining errors representation in turning, 437
Magnesium
Determination of a constitutive relationship for AZ31B magnesium alloy and validation through comparison between simulated and real extrusion, 372
Facing SiCp/Mg metal matrix composites with carbide tools, 417
Magnetic sensor
The effect of magnetoelastic interaction on the GMI behaviour of Fe-, Co- and Co–Fe-based amorphous wires, 182
Magnetoelastic interaction
The effect of magnetoelastic interaction on the GMI behaviour of Fe-, Co- and Co–Fe-based amorphous wires, 182
Manufacturability
CCKBS: A component check knowledge-based system for assessing manufacturability of sheet metal parts, 64
Material characterization
Numerical modelling and experimental validation of steel deep drawing processes. Part I. Material characterization, 451
Material flow
Physical and numerical analysis of the metal flow over the punch head in backward cup extrusion of aluminium, 312
Mechanical joining
Economics of clinched joint compared to riveted joint and example of applying calculations to a volume product, 130
Metal matrix composites
Facing SiCp/Mg metal matrix composites with carbide tools, 417
Microstructural evolution
The coupling thermal–mechanical and microstructural model for the FEM simulation of cross wedge rolling, 202
Microstructure
Synthesis and characterization of TiB_2-reinforced iron-based composites, 70
Characterization of an iron-based laser sintered material, 77
Microstructure and wear properties of WC–TiC–Co/CuZnNi composite surface coating, 188
Milling tools
Microstructure and wear properties of WC–TiC–Co/CuZnNi composite surface coating, 188
Minimum quantity lubricant (MQL)
Experimental and numerical investigation of the effect of spray cutting fluids in high speed milling, 11
MMC
Facing SiCp/Mg metal matrix composites with carbide tools, 417
Modelling
Parametric approach model for determining welding conditions: New type of Welding Limit Diagrams—II (WLD), 208
Modeling of energy absorption of short fiber composite considering interfacial properties of fiber/matrix, 258
MQL
Effect of minimum quantity lubrication (MQL) on tool wear and surface roughness in turning AISI-4340 steel, 299
Multipass forging
A novel high straining process for bulk materials—The development of a multipass forging system by compression along three axes, 152

Nanosized metal oxides
Hydrophilic modification of poly(ether sulfone) used TiO_2 nanoparticles by a sol–gel process, 431
NaOH
A technical note on the production of zirconia and zircon brick from locally available zircon in Bangladesh, 388

On-line measurement
On-line measurement of deposit dimension in spray forming using image processing technology, 195
Open die forging
Optimization of open die forging of round shapes using FEM analysis, 88
Optimization
Estimation of heat source and thermal efficiency in GTAW process by using inverse techniques, 42
Simple shear tests: Experimental techniques and characterization of the plastic anisotropy of rolled sheets at large strains, 96
Oxidation behavior
Microstructure and wear properties of WC–TiC–Co/CuZnNi composite surface coating, 188

Peak current
Selection of parameters of pulsed current gas metal arc welding, I
Peak time
Selection of parameters of pulsed current gas metal arc welding, I
Phase change
Estimation of heat source and thermal efficiency in GTAW process by using inverse techniques, 42
Physical modeling
Physical and numerical analysis of the metal flow over the punch head in backward cup extrusion of aluminium, 312

Physical pattern technique
Physical and numerical analysis of the metal flow over the punch head in backward cup extrusion of aluminium, 312
Pick-up
Study in IC chip failure during pick-up process by using experimental and finite element methods, 407
Plasma spray
Studies on the behaviour of stellite-6 as plasma sprayed and laser remelted coatings in molten salt environment at 900 °C under cyclic conditions, 52
Plasticity of porous materials
Determination of initial compression stresses when extruding bimetallic tubes with porous internal layer, 277
Plug cushion
Experimental evaluation and finite element simulation of explosive forming of a square cup from a brass plate assisted by a lead plug, 139
PMMC's
Effect of sub-micron Al_2O_3 concentration on dry wear properties of 6061 aluminum based composite, 327
Poly(ether sulfone)/TiO_2 composites
Hydrophilic modification of poly(ether sulfone) used TiO_2 nanoparticles by a sol–gel process, 431
Polymer
Improvement of the spatial resolution of prototypes using infrared laser stereolithography on thermosensitive resins, 104
Poly(vinyl chloride) (PVC)
Impact properties of acrylate rubber-modified PVC: Influence of temperature, 341
Porous material
Mathematical modelling of plastic deformation processes of bimetallic tubes with porous-internal layer in conical dies, 243
Powder metallurgy
Characterization of an iron-based laser sintered material, 77
Process model
A process model for shot peen forming, 159
Pulse frequency
Selection of parameters of pulsed current gas metal arc welding, 1
Punch design
Optimal design of V and U bending processes using genetic algorithms, 35

Quench chamber
Heat transfer from typical loads within gas quenching furnace, 356
Quenching
Technological advances in steels heat treatment, 169

Residual stresses
Residual stresses in turning. Part II. Influence of the machined material, 319
Fatigue limits prediction of surface treated materials, 381
Reverse bending
Mechanical descaling of wire rod using reverse bending and brushing, 332
Roll caster
6111 Aluminium alloy strip casting using an unequal diameter twin roll caster, 271
Roll casting
6111 Aluminium alloy strip casting using an unequal diameter twin roll caster, 271
Rolled metal sheet
Simple shear tests: Experimental techniques and characterization of the plastic anisotropy of rolled sheets at large strains, 96
Rotation angle
Optimization of open die forging of round shapes using FEM analysis, 88
Round bar
Optimization of open die forging of round shapes using FEM analysis, 88

Self-pierce riveting
Economics of clinched joint compared to riveted joint and example of applying calculations to a volume product, 130
Semisolid casting
6111 Aluminium alloy strip casting using an unequal diameter twin roll caster, 271
Sensitivity analysis
Artificial neural networks as an aid to steel plate distortion reduction, 238
Sheet metal
Thermal and stress analysis of a sheet metal in welding, 123
Economics of clinched joint compared to riveted joint and example of applying calculations to a volume product, 130
Sheet metal forming
A technical note on an experimental device to measure friction coefficient in sheet metal forming, 16
Optimal design of V and U bending processes using genetic algorithms, 35
Formability of galvanized interstitial-free steel sheets, 225
Sheet metal parts
CCKBS: A component check knowledge-based system for assessing manufacturability of sheet metal parts, 64

(Shot) peen forming
A process model for shot peen forming, 159

Shot peening
A process model for shot peen forming, 159
SiCp/Mg
Facing SiCp/Mg metal matrix composites with carbide tools, 417
Simple shear
Simple shear tests: Experimental techniques and characterization of the plastic anisotropy of rolled sheets at large strains, 96
Simulation
Numerical simulation of axisymmetric tube bulging using a urethane rod, 346
Simulation of industrial problems
Numerical modelling and experimental validation of steel deep drawing processes. Part II: Applications, 461
Single-fiber pull-out test
Modeling of energy absorption of short fiber composite considering interfacial properties of fiber/matrix, 258
Sol–gel process
Hydrophilic modification of poly(ether sulfone) used TiO_2 nanoparticles by a sol–gel process, 431
Spray forming
On-line measurement of deposit dimension in spray forming using image processing technology, 195
Spring-back
Optimal design of V and U bending processes using genetic algorithms, 35
Square cups
Experimental evaluation and finite element simulation of explosive forming of a square cup from a brass plate assisted by a lead plug, 139
Stand-off distance
Experimental evaluation and finite element simulation of explosive forming of a square cup from a brass plate assisted by a lead plug, 139
Steel machining
Residual stresses in turning. Part II. Influence of the machined material, 319
Steels
Technological advances in steels heat treatment, 169
Effect of minimum quantity lubrication (MQL) on tool wear and surface roughness in turning AISI-4340 steel, 299
Stellite-6
Studies on the behaviour of stellite-6 as plasma sprayed and laser remelted coatings in molten salt environment at 900 °C under cyclic conditions, 52

Stereolithography
Improvement of the spatial resolution of prototypes using infrared laser stereolithography on thermosensitive resins, 104
Strain hardening
Fatigue limits prediction of surface treated materials, 381
Stress–strain curve
A novel high straining process for bulk materials—The development of a multipass forging system by compression along three axes, 152
Stria
Laser cutting of steel sheets: Influence of workpiece thickness and beam waist position on kerf size and stria formation, 22
Strip casting
6111 Aluminium alloy strip casting using an unequal diameter twin roll caster, 271
Success rate
Study in IC chip failure during pick-up process by using experimental and finite element methods, 407
Suppression
Suppressing vibrations of machining processes in both feed and radial directions using an optimal control strategy: The case of interrupted cutting, 305
Surface pre-treatments
Mechanical descaling of wire rod using reverse bending and brushing, 332
Surface treatments
Fatigue limits prediction of surface treated materials, 381

Temperature
A technical note on the production of zirconia and zircon brick from locally available zircon in Bangladesh, 388
Estimation of heat source and thermal efficiency in GTAW process by using inverse techniques, 42
Thermal stress
Thermal and stress analysis of a sheet metal in welding, 123
Thermoplastic resin
Stamp forming of polypropylene based fibre–metal laminates: The effect of process variables on formability, 163
Thin plate
Artificial neural networks as an aid to steel plate distortion reduction, 238
TiB_2
Synthesis and characterization of TiB_2-reinforced iron-based composites, 70
Tool life
Robustness improvement of tool life estimation assisted by a virtual manufacturing cell, 445
Tool wear and surface roughness
Effect of minimum quantity lubrication (MQL) on tool wear and surface roughness in turning AISI-4340 steel, 299
Toolmaking
EDM process adaptation system in toolmaking industry, 291
Turning
Effect of minimum quantity lubrication (MQL) on tool wear and surface roughness in turning AISI-4340 steel, 299
Residual stresses in turning. Part II. Influence of the machined material, 319
Turning operation
Modeling of virtual workpiece with machining errors representation in turning, 437

U-bending
Optimal design of V and U bending processes using genetic algorithms, 35
Urethane
Numerical simulation of axisymmetric tube bulging using a urethane rod, 346
User-friendly systems
A user-friendly fuzzy-based system for the selection of electro discharge machining process parameters, 363

V-bending
Optimal design of V and U bending processes using genetic algorithms, 35
Vibration
Suppressing vibrations of machining processes in both feed and radial directions using an optimal control strategy: The case of interrupted cutting, 305
Virtual manufacturing
Modeling of virtual workpiece with machining errors representation in turning, 437
Robustness improvement of tool life estimation assisted by a virtual manufacturing cell, 445
Virtual workpiece
Modeling of virtual workpiece with machining errors representation in turning, 437
Voltage
Technological advances in steels heat treatment, 169

Wear
Experimental and numerical investigation of the effect of spray cutting fluids in high speed milling, 11
Wear resistance
Synthesis and characterization of TiB_2-reinforced iron-based composites, 70
Microstructure and wear properties of WC–TiC–Co/CuZnNi composite surface coating, 188
Welding
Estimation of heat source and thermal efficiency in GTAW process by using inverse techniques, 42
Thermal and stress analysis of a sheet metal in welding, 123
Artificial neural networks as an aid to steel plate distortion reduction, 238
Welding Limit Diagrams
Parametric approach model for determining welding conditions: New type of Welding Limit Diagrams—II (WLD), 208
Welding processing
Parametric approach model for determining welding conditions: New type of Welding Limit Diagrams—II (WLD), 208
Wire drawing
Influences of inclusion shape and size in drawing of copper shaped-wire, 400
Wire rod
Mechanical descaling of wire rod using reverse bending and brushing, 332

Zinc coating
Formability of galvanized interstitial-free steel sheets, 225
Zircon
A technical note on the production of zirconia and zircon brick from locally available zircon in Bangladesh, 388
Zirconia
A technical note on the production of zirconia and zircon brick from locally available zircon in Bangladesh, 388